

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
76	6	SS	64	460	1
76	10	SS	56	1100	1
76	10	SS	56	4900	1
76	10	SS	56	5000	1
76,1	6,3	GSLC	64	Disponibile	15
76,1	8	GSLC	60	Disponibile	15
76,1	10	GSLC	56	Disponibile	16
80	8	SS	64	4000	1
80	8	SS	64	5250	1
80	8	SALDSC	64	6000	1
81	14	SS	53	3500	1
81	14	SS	53	6100	1
81	14	SS	53	6100	1
82	5	SALDSC	72	6000	10
82,5	6,3	GSLC	70	Disponibile	9
82,5	10	GSLC	63	Disponibile	5
83	8	SS	67	3960	1
83	8	SS	67	4000	1
83	8	SS	67	5490	1
83	10	SS	63	930	1
83	10	SS	63	6560	1
83	12	SS	59	3000	1
83	12	SS	59	5000	1
83	12	SS	59	6050	1
83	14,5	SS	54	4100	1
83	14,5	SS	54	4100	1
83	14,5	SS	54	4100	1
84	15	SS	54	4480	1
84	25	SS	34	4850	1
85	5	SS	75	1500	1
85	5	SS	75	1500	1
85	5	SS	75	1500	1
85	5	SS	75	1500	1
85	5	SS	75	1560	1
85	5	SS	75	1560	1
85	5	SS	75	1650	1
85	5	SS	75	6000	9
88,9	6,3	GSLC	76	Disponibile	17
88,9	8	GSLC	73	Disponibile	0
88,9	10	GSLC	69	Disponibile	12
89	4	SALDSC	81	6000	1
89	5	SALDSC	79	6000	10
89	8	SS	73	1000	1
89	12	SS	65	2000	1
89	12,5	SS	64	2500	1
89	12,5	SS	64	5930	1
89	12,5	SS	64	6000	1
89	12,5	SS	64	6000	1
89	12,5	SS	64	6000	1
89	13	SS	63	1500	1
89	13	SS	63	3000	1
89	13	SS	63	3010	1
89	13	SS	63	4100	1
89	13	SS	63	4700	1
89	15	SS	59	5900	1
89	15	SS	59	5900	1
89	15	SS	59	5900	1
89	15	SS	59	5900	1
89	15	SS	59	5900	1
89	15	SS	59	5900	1
89	15	SS	59	5900	1
89	15	SS	59	5900	1
89	15	SS	59	6000	1
89	15	SS	59	6000	1
89	15	SS	59	6000	1
89	15	SS	59	6000	1
89	15	SS	59	6000	1
89	15	SS	59	6000	1
89	15	SS	59	6000	1
89	15	SS	59	6000	1
89	15	SS	59	6000	1
89	16,5	SS	56	3200	1
89	16,5	SS	56	6220	1
89	16,5	SS	56	6220	1
89	17	SS	55	6000	1
89	17	SS	55	6000	1
89	17	SS	55	6000	1
89	17	SS	55	6000	1
89	17	SS	55	6000	1
89	17	SS	55	6000	1
89	17	SS	55	6000	1
89	17	SS	55	6000	1
89	17	SS	55	6000	1
89	21	SS	47	2450	1
89	21	SS	47	5000	1
89	21	SS	47	6500	1

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
89	25	SS	39	4000	1
89	25	SS	39	5600	1
89	25	SS	39	5600	1
90	13	SS	64	1200	1
90	13	SS	64	3880	1
90	13	SS	64	4000	1
90	13	SS	64	4200	1
90	14	SS	62	820	1
92	6,2	TTRAF	80	6000	5
95	14	SS	67	1520	1
95	17	SS	61	4660	1
95	18	SS	59	2080	1
95	14/16 ESA	SS	#VALORE!	2050	1
96	14	SS	68	4000	1
100	13	SS	74	1075	1
100	13	SS	74	1330	1
101,6	6	SALDSC	90	Disponibile	9
101,6	8	SALDSC	86	Disponibile	13
101,6	10	SALDSC	82	Disponibile	9
102	5	SALDSC	92	Disponibile	17
102	8	SALDSC	86	6000	1
102	8	SALDSC	86	6000	7
102	10	SS	82	1600	1
102	10	SS	82	1900	1
102	10	SS	82	2100	1
102	10	SS	82	2220	1
102	10	SS	82	2525	1
102	10	SS	82	6150	1
102	10	SS	82	6450	1
102	10	SS	82	6750	1
102	12	SS	78	690	1
102	12	SS	78	690	1
102	12	SS	78	740	1
102	12	SS	78	740	1
102	12	SS	78	740	1
102	12	SS	78	740	1
102	12	SS	78	760	1
102	12	SS	78	2000	1
102	12,5	SS	77	1100	1
102	12,5	SS	77	5400	1
102	13	SS	76	630	1
102	13	SS	76	630	1
102	13,5	SS	75	810	1
102	14	SS	74	700	1
102	14	SS	74	1130	1
102	14	SS	74	1280	1
102	14	SS	74	1280	1
102	14	SS	74	1830	1
102	14	SS	74	3030	1
102	15	SS (DURO)	72	780	1
102	15	SS	72	1320	1
102	15	SS	72	1490	1
102	15	SS	72	1800	1
102	15	SS	72	6000	1
102	15,5	SS	71	1400	1
102	15,5	SS	71	2700	1
102	16	SS	70	580	1
102	16	SS	70	1850	1
102	16	SS	70	5300	1
102	16	SS	70	5300	1
102	16	SS	70	5300	1
102	16	SS	70	5400	1
102	16	SS	70	6000	1
102	16	SS	70	6000	1
102	18,5	SS	65	2400	1
102	30	SS	42	750	1
102	30	SS	42	2350	1
106	9	SS	88	2650	1
106	9	SS	88	4200	1
107	10	SS	87	6080	1
108	10	SS	88	1700	1
108	10	ss	88	6000	1
108	12	SS	84	1200	1
108	12	SS	84	1380	1
108	12	SS	84	1500	1
108	12	SS	84	1500	1
108	12	SS	84	1500	1
108	12	SS	84	4300	1
108	12,5	SS	83	1530	1

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
108	12,5	SS	83	1530	1
108	12,5	SS	83	1530	1
108	12,5	SS	83	1530	1
108	12,5	SS	83	1530	1
108	12,5	SS	83	3060	1
108	13	SS	82	1270	1
108	13	SS	82	1270	1
108	13	SS	82	1530	1
108	13	SS	82	1530	1
108	13	SS	82	1550	1
108	13	SS	82	1550	1
108	13	SS	82	1550	1
108	13	SS	82	1760	1
108	13	SS	82	6250	1
108	13	SS	82	6250	1
108	13	SS	82	6250	1
108	13	SS	82	6250	1
108	13	SS	82	6250	1
108	13	SS	82	6250	1
108	13	SS	82	6250	1
108	13	SS	82	6250	1
108	13	SS	82	6250	1
108	13	SS	82	6300	1
108	13	SS	82	6300	1
108	13	SS	82	6300	1
108	13,5	SS	81	3300	1
108	14	SS	80	1200	1
108	14	SS	80	1200	1
108	14	SS	80	2160	1
108	15	SS	78	2920	1
108	15	SS	78	4150	1
108	16	SS	76	670	1
108	16	SS	76	1570	1
108	16	SS	76	5300	1
108	16	SS	76	5300	1
108	16	SS	76	5300	1
108	16,5	SS	75	2100	1
108	17,5	SS	73	3400	1
108	18	SS	72	1550	1
108	18,5	SS	71	5480	1
108	20	SS	68	950	1
108	20	SS	68	3100	1
108	20	SS	68	3100	1
108	20	SS	68	6015	1
108	20	SS	68	6015	1
108	20,5	SS	67	3400	1
108	21	SS	66	2000	1
108	21	SS	66	2300	1
108	21	SS	66	4100	1
108	21	SS	66	5000	1
108	21	SS	66	5000	1
108	22	SS	64	2240	1
110	37,5	B.F.	35	1060	1
110	37,5	B.F.	35	1860	1
112	16,5	SS	79	3700	1
112	16,5	SS	79	5700	1
112	25	SS	62	2850	1
112	25	SS	62	6000	1
112	25	SS	62	6000	1
114	9	SS	96	4600	1
114	12	SS	90	2200	1
114	12	SS	90	4280	1
114	12	SS	90	4300	1
114	12	SS	90	4335	1
114	12	SS	90	4400	1
114	12	SS	90	5300	1
114	12	SS	90	5950	1
114	12,5	SS	89	4600	1
114	12,5	SS	89	5300	1
114	12,5	SS	89	6000	1
114	12,5	SS	89	6000	1
114	12,5	SS	89	6000	1
114	13	SS	88	3340	1
114	13	SS (F.C.- 16)	88	4160	1
114	13	SS	88	4700	1
114	13	SS	88	4700	1
114	13	SS	88	5290	1
114	13	SS	88	5500	1

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
114	13	SS	88	6000	1
114	13	SS	88	6000	1
114	13	SS	88	6000	1
114	13	SS	88	6000	1
114	13	SS	88	6000	1
114	13	SS	88	6000	1
114	13	SS	88	6000	1
114	13,5	SS	87	4450	1
114	13,5	SS	87	4450	1
114	13,5	SS	87	4450	1
114	13,5	SS	87	4480	1
114	13,5	SS	87	4480	1
114	13,5	SS	87	5280	1
114	13,5	SS	87	5980	1
114	13,5	SS	87	6480	1
114	14	SS	86	1004	1
114	14	SS	86	1330	1
114	16	SS	82	3000	1
114	16	SS	82	3250	1
114	16	SS	82	3700	1
114	16	SS	82	3890	1
114	17	SS	80	2100	1
114	17	SS	80	3800	1
114	17	SS	80	4010	1
114	17,5	SS	79	2860	1
114	18	SS	78	1700	1
114	18	SS	78	1770	1
114	18	SS	78	2260	1
114	20	SS	74	1320	1
114	20	SS	74	1320	1
114	20	SS	74	1320	1
114	20	SS	74	1320	1
114	20	SS	74	1320	1
114	20	SS	74	1320	1
114	20	SS	74	1320	1
114	20	SS	74	1320	1
114	20	SS	74	1500	1
114	20	SS	74	2030	1
114	20	SS	74	2330	1
114	20	SS	74	2360	1
114	20	SS	74	2510	1
114	20	SS	74	4450	1
114	20	SS	74	6280	1
114	20,5	SS	73	2130	1
114	21	SS	72	4880	1
114	21	SS	72	6520	1
114	21	SS	72	6520	1
114	21	SS	72	6520	1
114	21	SS	72	6520	1
114	21	SS	72	6520	1
114	22	SS	70	4400	1
114	22	SS	70	5800	1
114	22	SS	70	5960	1
114	23	SS	68	1690	1
114	25	SS	64	1100	1
114	25	SS	64	1600	1
114	25	SS	64	1830	1
114	25	SS	64	5000	1
114	27	SS	60	840	1
114,3	6	SALDSC	102	Disponibile	6
114,3	10	SALDSC	94	Disponibile	11
117	18	SS	81	1650	1
118	15	SS	88	1300	1
118	15	SS	88	1670	1
118	20	SS	78	6300	1
118	20	SS	78	6300	1
120	12	SS	96	540	1
120	12,5	SS	95	1200	1
120	12,5	SS	95	1260	1
120	12,5	SS	95	1260	1
120	14	SS	92	5290	1
121	6	SALDSC	109	Disponibile	0
121	10	SALDSC	101	non disponibile	0
121	16	SS	89	1150	1
121	16	SS	89	1700	1

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
121	16	SS	89	2000	1
121	16	SS	89	2000	1
121	16	SS	89	2000	1
121	16	SS	89	3750	1
121	16,5	SS	88	1850	1
121	16,5	SS	88	2720	1
121	18	SS	85	1930	1
121	18,5	SS	84	1600	1
121	20	SS	81	4660	1
121	21	SS	79	1300	1
122	14	SS	94	4790	1
125	37,5	B.F.	50	1350	1
125	37,5	B.F.	50	1600	1
125	37,5	B.F.	50	1600	1
125	37,5	B.F.	50	1600	1
127	6	SALDSC	115	Disponibile	6
127	10	SS	107	1600	1
127	10	SS	107	6400	1
127	10	SALDSC	107	Disponibile	5
127	12,5	SS	102	4450	1
127	13	SS	101	500	1
127	13	SS	101	660	1
127	13	SS	101	980	1
127	13	SS	101	1000	1
127	13	SS	101	1080	1
127	13	SS	101	1160	1
127	13	SS	101	1250	1
127	14	SS	99	3000	1
127	14	SS	99	5780	1
127	14,5	SS	98	3000	1
127	14,5	SS	98	3000	1
127	14,5	SS	98	3030	1
127	14,5	SS	98	4050	1
127	14,5	SS	98	4050	1
127	14,5	SS	98	4050	1
127	15	SS	97	5480	1
127	16	SS	95	1200	1
127	16	SS	95	1200	1
127	16	SS	95	2330	1
127	16	SS	95	2480	1
127	16	SS	95	2800	1
127	16	SS	95	3250	1
127	16	SS	95	3250	1
127	16	SS	95	4200	1
127	16	SS	95	4800	1
127	16	SS	95	5000	1
127	17	SS	93	1240	1
127	17	SS	93	2680	1
127	18	SS	91	700	1
127	20	SS	87	490	1
127	20	SS	87	570	1
127	20	SS	87	600	1
127	20	SS	87	600	1
127	20	SS	87	690	1
127	20	SS	87	840	1
127	20	SS	87	870	1
127	20	SS	87	880	1
127	20	SS	87	950	1
127	20	SS	87	980	1
127	20	SS	87	980	1
127	20	SS	87	1000	1
127	20	SS	87	1000	1
127	20	SS	87	1120	1
127	20	SS	87	1140	1
127	20	SS	87	1230	1
127	20	SS	87	1900	1
127	20	SS	87	2560	1
127	20	SS	87	2780	1
127	21	SS	85	2260	1
127	22	SS	83	1470	1
127	31	SS	65	780	1
127	35	SS	57	4200	1
128	16	SS	96	4600	1
130	10	TTRAF	110	1490	1
130	10	TTRAF	110	1870	1
130	10	TTRAF	110	1870	1
130	12	SS	106	760	1
130	12	SS	106	3050	1

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
130	12	SS	106	3500	1
130	45	B.F.	40	1970	1
130	47,5	B.F.	35	1490	1
132	15	SS	102	2610	1
133	6	SALDSC	121	Disponibile	11
133	10	SS	113	4750	1
133	10	SS	113	5600	1
133	10	SS	113	5680	1
133	10	SALDSC	113	Disponibile	9
133	12	SS	109	4710	1
133	12	SS	109	5550	1
133	12	SS	109	5550	1
133	12,5	SS	108	3600	1
133	12,5	SS	108	3700	1
133	12,5	SS	108	3780	1
133	12,5	SS	108	5000	1
133	12,5	SS	108	6000	1
133	12,5	SS	108	6000	1
133	12,5	SS	108	6000	1
133	12,5	SS	108	6000	1
133	12,5	SS	108	6000	1
133	12,5	SS	108	6000	1
133	12,5	SS	108	6000	1
133	13,5	SS	106	4100	1
133	14	SS	105	1750	1
133	14	SS	105	1970	1
133	14	SS	105	2090	1
133	14	SS	105	4000	1
133	14	SS	105	4000	1
133	14	SS	105	4000	1
133	14	SS	105	4000	1
133	14	SS	105	4000	1
133	14	SS	105	4000	1
133	14,5	SS	104	1930	1
133	14,5	SS	104	1930	1
133	14,5	SS	104	1945	1
133	14,5	SS	104	1955	1
133	14,5	SS	104	1955	1
133	14,5	SS	104	2000	1
133	14,5	SS	104	2000	1
133	15	SS	103	1190	1
133	15	SS	103	1820	1
133	15	SS	103	1830	1
133	15	SS	103	1990	1
133	15	SS	103	2680	1
133	16	SS	101	2850	1
133	16	SS	101	6000	1
133	17	SS	99	1060	1
133	17	SS	99	1800	1
133	17	SS	99	3530	1
133	17	SS (F.C)	99	4000	1
133	17	SS (F.C)	99	4000	1
133	18,5	SS	96	1600	1
133	19	SS	95	900	1
133	19	SS	95	940	1
133	19	SS	95	1780	1
133	19	SS	95	1990	1
133	19	SS	95	4050	1
133	20	SS	93	1640	1
133	20	SS	93	1920	1
133	21	SS	91	2540	1
133	24	SS	85	4030	1
133	25	SS	83	4700	1
133	35	SS	63	510	1
133	35	SS	63	4400	1
133	35	SS	63	5000	1
133	35	SS	63	5630	1
133	36	SS	61	4350	1
133	36	SS	61	4370	1
133	37	SS	59	4300	1
133	38	SS	57	2015	1
133	39	SS	55	4100	1
133	39	SS	55	4100	1
133	FC 20/23	SS	#VALORE!	1720	1
135	40	B.F.	55	2000	1
135	40	B.F.	55	2000	1
135	40	B.F.	55	2000	1
135	40	B.F.	55	2000	1
135	45	B.F.	45	2000	1

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
135	45	B.F.	45	2000	1
135	45	B.F.	45	2000	1
135	45	B.F.	45	2000	1
135	50	B.F.	35	2000	1
135	50	B.F.	35	2000	1
135	50	B.F.	35	2000	1
135	50	B.F.	35	2000	1
137	31	SS	75	1200	1
139	10,5	SS	118	1004	1
139	13,5	SS	112	970	1
139	13,5	SS	112	4450	1
139	15	SS	109	800	1
139	16	SS	107	3980	1
139	16	SS	107	5000	1
139	16	SS	107	5500	1
139	17	SS	105	1480	1
139	17	SS	105	1530	1
139	17,5	SS	104	1920	1
139	18	SS	103	2050	1
139	19,5	SS	100	3180	1
139	20	SS	99	1450	1
139	20	SS	99	1450	1
139	20	SS	99	1450	1
139	20	SS	99	1450	1
139	20	SS	99	1450	1
139	20	SS	99	1500	1
139	20	SS	99	1750	1
139	20	SS	99	2800	1
139	22	SS	95	1450	1
139	27	SS	85	810	1
139	28	SS	83	860	1
139	29	SS	81	2510	1
139	30	SS	79	3980	1
139	30	SS	79	6000	1
139,7	6	SALDSC	128	Disponibile	2
139,7	10	SALDSC	120	Disponibile	2
140	10	SS	120	4350	1
140	12	SS	116	1000	1
140	12	SS	116	1030	1
140	13	SS	114	3150	1
140	14	SS	112	940	1
140	14	SS	112	940	1
140	14	SS	112	940	1
140	14	SS	112	940	1
140	14	SS	112	940	1
140	15	TRAF.	110	2850	1
140	15	TRAF.	110	2900	1
140	16	SS	108	380	1
140	18	SS	104	530	1
140	20	SS	100	570	1
140	20	SS	100	1040	1
140	20	SS	100	1200	1
140	20	SS	100	1300	1
140	20	SS	100	1960	1
140	20	SS	100	3600	1
140	20	SS	100	3600	1
140	20	SS	100	6750	1
140	52,5	B.F.	35	800	1
141	16	SS	109	3500	1
141	17	SS	107	2870	1
141	20	SS	101	3880	1
141	20	SS	101	5550	1
141	22,5	SS	96	2000	1
141	23	SS	95	2000	1
142	22	SS	98	350	1
142	23	SS	96	1650	1
145	23	SS	99	760	1
145	23	SS	99	870	1
145	24	SS	97	860	1
145	25	SS	95	410	1
145	25	SS	95	420	1
145	25	SS	95	600	1
145	25	SS	95	620	1
145	25	SS (DURO)	95	3000	1
145	25	SS (DURO)	95	3520	1
145	26	SS	93	650	1
145	31	SS	83	740	1
146	14	SS	118	1950	1

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
146	14	SS	118	3000	1
146	18	SS	110	1200	1
146	18	SS (F.C.-21)	110	1870	1
146	18	SS	110	1880	1
146	19	SS	108	1840	1
146	20	SS	106	2070	1
146	22	SS	102	560	1
146	22	SS	102	1040	1
146	22	SS	102	1975	1
146	23	SS	100	770	1
146	23	SS	100	800	1
146	24	SS	98	1050	1
146	25	SS	96	570	1
146	25	SS	96	750	1
146	25	SS (DURO)	96	2990	1
146	25	SS (DURO)	96	2990	1
146	26	SS (DURO)	94	3150	1
146	26	SS (DURO)	94	3150	1
146	26	SS (DURO)	94	3400	1
146	26	SS (DURO)	94	3480	1
146	39	SS	68	6000	1
147	22	SS	103	540	1
147	25	SS	97	510	1
150	23	SS	104	2100	1
150	26	SS	98	2570	1
151	24	SS	103	3350	1
152	12,5	SS	127	2780	1
152	13	SS	126	1000	1
152	13	SS	126	1570	1
152	15,5	SS	121	1700	1
152	16	SS	120	1200	1
152	16	SS	120	3200	1
152	17	SS	118	1250	1
152	17	SS	118	1330	1
152	17	SS	118	1450	1
152	17	SS	118	1530	1
152	17	SS	118	1530	1
152	18	SS	116	1170	1
152	18	SS	116	1320	1
152	18	SS	116	2870	1
152	18	SS	116	3480	1
152	20	SS	112	1350	1
152	20	SS	112	3010	1
152	20	SS	112	3100	1
152	22	SS	108	1050	1
152	22	SS	108	1900	1
152	22	SS	108	2010	1
152	22	SS	108	2020	1
152	23	SS	106	2200	1
152	23	SS	106	2210	1
152	23	SS	106	2210	1
152	23	SS	106	2300	1
152	23	SS	106	2350	1
152	24	SS	104	1800	1
152	25	SS	102	230	1
152	26	SS	100	3400	1
152	31	SS	90	1800	1
153	14	SS	125	1500	1
153	16	SS	121	4100	1
153	16	SS	121	4980	1
153	17	SS	119	1440	1
154	15	SS	124	2050	1
155	15	TTRAF	125	1140	1
155	18	SS	119	1670	1
155	47,5	B.F.	60	1140	1
155	47,5	B.F.	60	1140	1
155	47,5	B.F.	60	1140	1
155	47,5	B.F.	60	1140	1
155	47,5	B.F.	60	1140	1
155	47,5	B.F.	60	1140	1
155	52,5	B.F.	50	1140	1
155	52,5	B.F.	50	1140	1
155	52,5	B.F.	50	1140	1
155	52,5	B.F.	50	1140	1
155	52,5	B.F.	50	1140	1
155	52,5	B.F.	50	1140	1
155	57,5	B.F.	40	1140	1
155	57,5	B.F.	40	1140	1
155	57,5	B.F.	40	1140	1
157	18	SS	121	1900	1

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
158	28	SS (F.C.-29)	102	430	1
159	6	SALDSC	147	Disponibile	5
159	6,5	SS	146	4300	1
159	8	SS	143	1700	1
159	8	SS	143	1900	1
159	8	SS	143	2690	1
159	8	SS	143	5000	1
159	8	SS	143	6400	1
159	10	SS	139	960	1
159	10	SS	139	1230	1
159	10	SS	139	1670	1
159	10	SS	139	2000	1
159	10	SS	139	2050	1
159	10	SS	139	2150	1
159	10	SS	139	2200	1
159	10	SS	139	2450	1
159	10	SS	139	2450	1
159	10	SS	139	2450	1
159	10	SS	139	2900	1
159	10	SALDSC	139	Disponibile	2
159	10,5	SS	138	1100	1
159	10,5	SS	138	1240	1
159	11	SS	137	1540	1
159	12,5	SS	134	1890	1
159	13	SS	133	500	1
159	13	SS	133	1965	1
159	14	SS	131	1530	1
159	14	SS	131	1860	1
159	14	SS	131	2900	1
159	14	SS	131	3150	1
159	14	SS	131	3150	1
159	16	SS	127	1050	1
159	16	SS	127	1050	1
159	16	SS	127	1500	1
159	16	SS	127	1580	1
159	16	SS	127	1600	1
159	16,5	SS	126	950	1
159	17,5	SS	124	3080	1
159	20	SS	119	880	1
159	20	SS	119	1890	1
159	20	SS	119	2900	1
159	21	SS	117	2090	1
159	23	SS	113	960	1
159	25	SS	109	2130	1
159	25	SS	109	2228	1
159	26	SS	107	2330	1
159	27	SS	105	330	1
159	27	SS	105	570	1
159	27	SS	105	1200	1
159	28	SS	103	360	1
159	28	SS	103	360	1
159	28	SS	103	400	1
159	28	SS	103	750	1
159	28	SS	103	1200	1
159	28	SS	103	1380	1
159	28	SS	103	1500	1
159	34	SS	91	4300	1
159	45	SS	69	650	1
160	8	SS	144	2960	1
160	9	SS	142	2960	1
160	15	SS	130	1700	1
160	16	SS	128	2790	1
160	20	SS	120	2790	1
160	21	SS	118	1600	1
160	25	SS	110	1240	1
160	27	SS	106	600	1
160	28	SS	104	570	1
160	29	SS	102	600	1
160	30	SS	100	500	1
160	45	B.F.	70	1140	1
160	45	B.F.	70	1140	1
160	45	B.F.	70	1140	1
160	45	B.F.	70	1140	1
160	45	B.F.	70	1140	1
160	50	B.F.	60	960	1
160	50	B.F.	60	1090	1
160	50	B.F.	60	1090	1
160	50	B.F.	60	1090	1

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
160	52,5	B.F.	55	915	1
160	52,5	B.F.	55	1600	1
160	55	B.F.	50	1140	1
160	55	B.F.	50	1140	1
160	55	B.F.	50	1140	1
160	55	B.F.	50	1140	1
160	55	B.F.	50	1140	1
160	60	B.F.	40	1140	1
160	60	B.F.	40	1140	1
160	60	B.F.	40	1140	1
160	60	B.F.	40	1140	1
160	60	B.F.	40	1140	1
161	20	SS	121	2480	1
162	13	SS	136	680	1
162	25	SS (F.C.-30)	112	1490	1
162	28	SS (DURO)	106	800	1
165	12,5	SS	140	800	1
165	17	SS	131	2650	1
165	18	SS	129	2020	1
165	18	SS	129	2610	1
165	27	SS	111	1780	1
166	5	SS	156	560	1
166	19	SS (B)	128	4380	1
167	30	SS	107	730	1
167	31	SS	105	1480	1
167	30/34 F.C	SS	#VALORE!	1890	1
168	12,5	SS	143	1250	1
168	12,5	SS	143	3700	1
168	13	SS	142	5900	1
168	13	SS	142	5900	1
168	13	SS	142	5900	1
168	13	SS	142	5900	1
168	14	SS	140	980	1
168	14	SS	140	1060	1
168	14	SS	140	1380	1
168	15	SS	138	400	1
168	15	SS	138	2700	1
168	15	SS	138	4610	1
168	15	SS	138	4700	1
168	16	SS	136	800	1
168	16	SS	136	3200	1
168	16	SS	136	4250	1
168	16	SS (F.C)	136	4670	1
168	16	SS (F.C)	136	5250	1
168	16	SS	136	5770	1
168	16,5	SS	135	950	1
168	17	SS	134	5530	1
168	17	SS	134	5700	1
168	17	SS	134	6450	1
168	18	SS	132	1700	1
168	18	SS	132	1700	1
168	18	SS	132	1740	1
168	18	SS	132	1990	1
168	18	SS	132	2050	1
168	18	SS	132	2060	1
168	18	SS	132	2310	1
168	18	SS	132	4500	1
168	18,5	SS	131	4000	1
168	19	SS	130	3900	1
168	20	SS	128	1430	1
168	20	SS	128	1600	1
168	20	SS	128	3560	1
168	20	SS	128	4100	1
168	20	SS	128	4100	1
168	20	SS (B)	128	4950	1
168	20	SS	128	5070	1
168	22	SS (F.C.- 24)	124	510	1
168	22	SS	124	790	1
168	22	SS	124	870	1
168	22	SS	124	1045	1
168	22	SS	124	1070	1
168	22	SS	124	1100	1
168	22	SS	124	1100	1
168	22	SS	124	1240	1
168	22	SS	124	1600	1
168	22	SS	124	4000	1
168	22	SS	124	4150	1
168	22	SS	124	4365	1

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
168	23	SS	122	740	1
168	23	SS	122	1100	1
168	23	SS	122	6000	1
168	23	SS	122	6000	1
168	24	SS (F.C.-27)	120	710	1
168	25	SS	118	560	1
168	25	SS	118	750	1
168	25	SS	118	3300	1
168	30	SS	108	500	1
168	30	SS	108	690	1
168	30	SS	108	990	1
168	64	B.F.	40	1300	1
168,3	6	SALDSC	156	Disponibile	0
168,3	10	SALDSC	148	Disponibile	5
169	12	SS	145	3350	1
169	13	SS	143	2520	1
169	15	SS	139	960	1
169	15	SS	139	960	1
169	16	SS	137	650	1
169	17	SS	135	4740	1
169	17	SS	135	5100	1
169	18	SS	133	2000	1
169	18	SS	133	2020	1
169	18	SS	133	2190	1
169	19	SS	131	2020	1
169	21	SS	127	2210	1
169	21	SS	127	4800	1
169	22	SS	125	960	1
169	23	SS	123	2150	1
169	25	SS	119	2760	1
169	25	SS	119	3100	1
169	25	SS	119	4330	1
169	25	SS	119	4330	1
169	26	SS	117	1450	1
169	30	SS	109	1290	1
169	40	SS	89	950	1
170	9	SS	152	1700	1
170	9	SS	152	5050	1
170	11	SS	148	630	1
170	15	SS	140	580	1
170	15	TRAF.	140	2500	1
170	16	SS	138	500	1
170	18	SS	134	5200	1
170	28	SS (F.C.-35)	114	1200	1
170	32	SS	106	1270	1
170	60	B.F.	50	1600	1
170	60	B.F.	50	1600	1
170	60	B.F.	50	2550	1
170	60	B.F.	50	2650	1
170	80	B.F.	10	1350	1
171	25	SS	121	5500	1
172	20	SS	132	5200	1
176	15	SS	146	6380	1
177	10	SS	157	395	1
178	10	SS	158	1500	1
178	10	SS	158	5450	1
178	11	SS	156	1400	1
178	11	SS	156	2550	1
178	11	SS	156	4160	1
178	12	SS	154	1230	1
178	12	SS	154	1470	1
178	12	SS	154	1500	1
178	12	SS	154	1700	1
178	12	SS	154	1980	1
178	12,5	SS	153	1350	1
178	12,5	SS	153	1360	1
178	12,5	SS	153	3280	1
178	13	SS	152	1200	1
178	13	SS	152	1300	1
178	13	SS	152	1940	1
178	13	SS	152	2450	1
178	13	SS	152	2550	1
178	14	SS	150	770	1
178	14	SS	150	1230	1
178	14,5	SS	149	890	1
178	15	SS (F.C.-17)	148	1060	1
178	15	SS	148	2070	1
178	15	SS	148	2250	1

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
178	15	SS	148	2650	1
178	15	SS	148	2840	1
178	16	SS	146	780	1
178	16	SS	146	780	1
178	16	SS	146	880	1
178	16	SS	146	990	1
178	16	SS	146	1060	1
178	16	SS	146	1060	1
178	16	SS	146	1120	1
178	16	SS	146	1890	1
178	16	SS	146	2450	1
178	16	SS	146	2930	1
178	16	SS	146	2980	1
178	16	SS	146	3700	1
178	16,5	SS	145	1800	1
178	17	SS	144	180	1
178	17	SS	144	1060	1
178	17	SS	144	1180	1
178	17	SS	144	3400	1
178	18	SS	142	730	1
178	18	SS	142	870	1
178	18	SS	142	1160	1
178	18	SS	142	2050	1
178	19	SS	140	1930	1
178	20	SS	138	1000	1
178	21,5	SS	135	1600	1
178	22	SS	134	2010	1
178	24	SS	130	720	1
178	24	SS	130	760	1
178	25	SS	128	160	1
178	25	SS	128	200	1
178	25	SS	128	440	1
178	25	SS	128	580	1
178	25	SS	128	840	1
178	25	SS	128	880	1
178	25	SS	128	1600	1
178	25	SS	128	2150	1
178	26	SS	126	260	1
178	26	SS	126	430	1
178	26	SS	126	440	1
178	26	SS	126	450	1
178	26	SS	126	680	1
178	26	SS	126	1440	1
178	27	SS	124	420	1
178	27	SS	124	430	1
178	27	SS	124	450	1
178	28,5	SS	121	4000	1
178	30	SS	118	340	1
178	31	SS	116	660	1
178	32	SS	114	400	1
178	47	SS (DURO)	84	690	1
178	52	SS	74	2350	1
178	53	SS	72	1540	1
179	12	SS	155	470	1
179	19	SS	141	4280	1
179	19	SS	141	4280	1
179	21	SS	137	1380	1
179	51	SS	77	5980	1
180	20	SS	140	770	1
180	20	SS	140	770	1
180	20	SS	140	770	1
180	20	SS	140	770	1
180	20	SS	140	770	1
180	20	SS	140	770	1
180	20	SS	140	770	1
180	20	SS	140	770	1
180	20	SS	140	770	1
180	20	SS	140	770	1
180	21	SS	138	1380	1
180	23	SS	134	2340	1
180	25	SS (F.C.-26)	130	450	1
180	27	SS	126	660	1
180	62,5	B.F.	55	2130	1
180	75	B.F.	30	2800	1
180	75	B.F.	30	2800	1
181	22	SS	137	5300	1
181	29	SS	123	1200	1
181	29	SS	123	1790	1

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
181	29	SS	123	1900	1
181	29	SS	123	1990	1
181	29	SS	123	1990	1
181	29	SS	123	2015	1
182	21	SS	140	5780	1
182	21	SS	140	5780	1
182	26	SS	130	1650	1
187	23	SS	141	2100	1
187	25	SS (F.C.-29)	137	1350	1
188	26	SS	136	2250	1
190	30	SS (DURO)	130	780	1
190	60	B.F.	70	2100	1
190	70	B.F.	50	1070	1
190	70	B.F.	50	1070	1
190	70	B.F.	50	1070	1
191	22	SS	147	1100	1
191	30	SS	131	850	1
191	30	SS	131	6000	1
192	18	SS	156	3400	1
193	16	SS	161	880	1
193	16	SS	161	890	1
193	16	SS	161	3450	1
193	17	SS	159	360	1
193	17	SS	159	900	1
193	17,5	SS	158	1650	1
193	20	SS	153	580	1
193	20	SS	153	610	1
193	20	SS	153	730	1
193	20	SS	153	860	1
193	20	SS	153	860	1
193	20	SS	153	930	1
193	20	SS	153	1000	1
193	20	SS	153	1100	1
193	20	SS	153	1350	1
193	21	SS	151	1100	1
193	22	SS	149	1350	1
193	22	SS	149	2090	1
193	22,5	SS	148	1970	1
193	23	SS (F.C.-28)	147	820	1
193	23	SS	147	960	1
193	24	SS	145	970	1
193	24	SS	145	970	1
193	25	SS	143	570	1
193	25	SS	143	610	1
193	25	SS	143	620	1
193	25	SS	143	620	1
193	25	SS	143	670	1
193	25	SS	143	740	1
193	25	SS	143	760	1
193	25	SS	143	760	1
193	25	SS	143	800	1
193	25	SS	143	810	1
193	25	SS	143	880	1
193	26	SS	141	510	1
193	26	SS	141	680	1
193	26	SS	141	1100	1
193	26	SS	141	1130	1
193	26	SS	141	1130	1
193	26	SS	141	1200	1
193	26	SS	141	1240	1
193	27	SS	139	1150	1
193	29	SS	135	5000	1
193	30	SS	133	1750	1
193	31	SS	131	490	1
193	34	SS (F.C.-36)	125	560	1
193	45	SS	103	5900	1
193	49	SS	95	3580	1
193,7	6	SALDSC	182	non disponibile	
193,7	10	SALDSC	174	non disponibile	
194	16	SS	162	1780	1
194	16	SS	162	1860	1
194	16	SS	162	2060	1
194	16	SS	162	2800	1
194	16	SS	162	4000	1
194	17	SS	160	3130	1
194	17	SS	160	5640	1
194	17	SS	160	6570	1

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
194	18	SS	158	900	1
194	20	SS	154	500	1
194	20	SS	154	1100	1
194	22	SS	150	600	1
194	25	SS (F.C.-27)	144	1100	1
194	25	SS	144	1240	1
194	26	SS	142	1060	1
194	26	SS	142	1140	1
194	26	SS	142	3070	1
194	28	SS	138	990	1
194	35	SS	124	400	1
194	35	SS	124	520	1
194	35	SS	124	540	1
194	58	SS	78	4600	1
194	58	SS	78	4950	1
194	58	SS	78	4950	1
195	16	SS	163	1750	1
195	16	SS	163	5780	1
195	17	SS	161	1000	1
195	17	SS	161	1250	1
195	17	SS	161	2200	1
195	18	SS	159	3600	1
195	19	SS	157	5350	1
195	20	SS	155	450	1
195	22	SS	151	2610	1
195	24	SS	147	420	1
195	26	SS	143	1120	1
195	27	SS	141	1450	1
195	28	SS	139	6400	1
195	34	SS (F.C)	127	4250	1
195	36	SS	123	505	1
195	45	SS	105	4100	1
195	60	SS	75	4800	1
196	28	SS	140	630	1
198	17	SS	164	1980	1
198	17	SS	164	2700	1
198	17	SS	164	2700	1
198	17	SS	164	2700	1
198	30	SS	138	1980	1
200	60	B.F.	80	1250	1
200	65	B.F.	70	690	1
200	65	B.F.	70	1400	1
200	70	B.F.	60	1500	1
200	70	B.F.	60	2050	1
200	75	B.F.	50	890	1
203	17	SS	169	3240	1
203	17	SS	169	3600	1
203	17	SS	169	5900	1
203	18	SS	167	5900	1
203	18	SS	167	6040	1
203	19	SS	165	4200	1
203	20	SS	163	520	1
203	20	SS	163	575	1
203	20	SS	163	2420	1
203	21	SS	161	1750	1
203	22	SS	159	1600	1
203	22	SS	159	2400	1
203	23	SS	157	700	1
203	25	SS	153	255	1
203	25	SS	153	560	1
203	34	SS	135	1850	1
203	34	SS	135	2000	1
203	40	SS	123	980	1
203	40	SS	123	1200	1
203	40	SS	123	1300	1
203	42	SS	119	1100	1
203	50	SS	103	5060	1
204	17,5	SS	169	4000	1
209	28	SS (DURO)	153	3500	1
209	28	SS	153	4300	1
209	32	SS	145	1705	1
209	32	SS (DURO)	145	3300	1
209	32	SS (DURO)	145	3300	1
209	32	SS	145	4035	1
210	42	SS	126	2270	1
210	44	SS	122	680	1
210	60	B.F.	90	2750	
210	80	B.F.	50	2280	1

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
213	25	SS	163	910	1
213	25	SS	163	1140	1
214	22	SS	170	4300	1
215	27	SS	161	2040	1
215	29	SS	157	2050	1
215	45	SS	125	1650	1
215	50	SS	115	5650	1
217	19	SS	179	4400	1
217	19	SS	179	4400	1
217	19	SS	179	5050	1
217	19	SS	179	5050	1
217	24	SS (F.C.- 33)	169	3340	1
219	13,5	SS	192	650	1
219	15	SS	189	1350	1
219	15	SS	189	1600	1
219	15	SS	189	2310	1
219	15	SS	189	3340	1
219	15	SS	189	6000	1
219	16	SS	187	800	1
219	16	SS	187	2700	1
219	17	SS	185	920	1
219	17	SS	185	1200	1
219	17	SS	185	1600	1
219	17	SS	185	2090	1
219	17,5	SS	184	3480	1
219	18	SS	183	470	1
219	18	SS	183	500	1
219	18	SS	183	710	1
219	18	SS	183	740	1
219	18	SS	183	850	1
219	18	SS	183	1330	1
219	18	SS	183	2370	1
219	18	SS	183	2820	1
219	19	SS	181	850	1
219	19	SS	181	850	1
219	19	SS	181	850	1
219	19	SS	181	880	1
219	19	SS	181	1080	1
219	19	SS	181	1080	1
219	19	SS	181	1080	1
219	19	SS	181	1080	1
219	19	SS	181	1080	1
219	19	SS	181	2360	1
219	20	SS	179	720	1
219	20	SS	179	730	1
219	20	SS	179	800	1
219	20	SS	179	880	1
219	20	SS	179	980	1
219	20	SS	179	1080	1
219	20	SS	179	1100	1
219	20	SS (F.C.-22)	179	1140	1
219	20	SS	179	1180	1
219	20	SS	179	1240	1
219	20	SS	179	1240	1
219	20	SS	179	1250	1
219	20	SS	179	1250	1
219	20	SS	179	1800	1
219	20	SS	179	1925	1
219	20	SS	179	1960	1
219	20	SS	179	2500	1
219	20	SS	179	2500	1
219	21	SS	177	640	1
219	21	SS	177	780	1
219	21	SS	177	1100	1
219	21	SS	177	2020	1
219	21	SS	177	2180	1
219	22	SS	175	530	1
219	22	SS	175	850	1
219	22	SS	175	950	1
219	22	SS	175	1100	1
219	22	SS	175	1540	1
219	22	SS	175	1560	1
219	23	SS	173	1210	1
219	23	SS	173	1980	1
219	24	SS (F.C.-29)	171	1170	1
219	25	SS	169	730	1
219	25	SS	169	1860	1
219	26	SS	167	680	1

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
219	26	SS	167	3140	1
219	27	SS	165	760	1
219	28	SS	163	1830	1
219	28	SS	163	1950	1
219	30	SS	159	620	1
219	31	SS	157	2340	1
219	31	SS	157	3600	1
219	32	SS	155	660	1
219	33	SS	153	1250	1
219	34	SS	151	1100	1
219	34	SS (F.C.-37)	151	3500	1
219	35	SS	149	1280	1
219	35	SS	149	1380	1
219	35	SS	149	1940	1
219	36	SS	147	1600	1
219	37	SS (F.C.-40)	145	3800	1
219	42	SS	135	320	1
219	42	SS (F.C.- 48)	135	340	1
219	50	SS	119	920	1
219	50	SS	119	3090	1
219,1	6	CARP.	207	12000	1
219,1	8	CARP.	203		
220	15	SS (F.C.-16)	190	3450	1
220	17	SS	186	2520	1
220	18	SS	184	600	1
220	20	SS	180	410	1
220	20	SS	180	700	1
220	20	SS	180	760	1
220	25	SS	170	790	1
220	25	SS	170	880	1
220	35	SS	150	350	1
220	37	SS	146	2380	1
220	40	SS	140	240	1
220	40	SS	140	260	1
220	40	SS	140	300	1
220	70	B.F.	80	1300	1
221	19	SS	183	2435	1
223	18	SS	187	1330	1
223	25	SS	173	1100	1
224	16	SS	192	2600	1
224	19	SS	186	2860	1
225	28	SS	169	2970	1
227	17,5	SS	192	6200	1
228	22	SS (F.C.-22)	184	870	1
228	30	SS	168	780	1
228	30	SS	168	970	1
228	42	SS	144	220	1
229	20	SS	189	1000	1
229	21	SS	187	400	1
229	21	SS	187	1210	1
229	22	SS	185	1180	1
229	22	SS	185	1240	1
229	24	SS	181	1220	1
229	24	SS	181	2290	1
229	24	SS	181	3060	1
229	25	SS	179	690	1
229	25	SS	179	810	1
229	25	SS	179	1200	1
229	25	SS	179	1220	1
229	29	SS	171	540	1
229	30	SS	169	630	1
229	35	SS	159	1160	1
229	45	SS	139	1320	1
229	50	SS	129	200	1
229	50	SS	129	3900	1
230	20	SS	190	720	1
230	22	SS	186	1915	1
230	32	SS	166	1220	1
230	32	SS	166	1380	1
230	35	SS (F.C.-45)	160	1660	1
230	36	SS (F.C.- 46)	158	1650	1
230	50	SS	130	420	1
230	36/43 FC	SS	#VALORE!	1650	1
232	38	SS	156	3850	1
235	28	SS	179	2490	1
235	28	SS	179	5000	1
235	55	SS	125	2850	1
236	25,5	SS (DURO)	185	2910	1

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
237	30	SS (F.C.-35)	177	700	1
238	30	SS	178	2200	1
240	25	SS	190	370	1
241	30	SS	181	240	1
241	30	SS	181	240	1
241	30	SS	181	240	1
244	16	SS	212	5860	1
244	16	SS	212	6015	1
244	18	SS	208	2100	1
244	29	SS	186	1780	1
244	29	SS	186	2400	1
244	38	SS	168	2000	1
244	38	SS	168	6000	1
244	65	SS	114	2400	1
244,5	6	CARP.	233	6270	1
244,5	6	CARP.	233	12000	1
244,5	8	CARP.	229		
245	20	SS	205	530	1
245	20	SS	205	800	1
245	23	SS	199	380	1
245	25	SS	195	370	1
245	30	SS	185	460	1
245	33	SS	179	260	1
245	33	SS	179	545	1
245	35	SS	175	380	1
245	35	SS	175	470	1
246	16	SS	214	1090	1
246	17	SS	212	2220	1
246	28	SS	190	560	1
246	30	SS	186	840	1
246	33	SS	180	360	1
246	35	SS	176	440	1
247	14	SS (F.C.-15)	219	550	1
247	15	SS	217	4900	1
247	20	SS	207	700	1
250	19	SS	212	1220	1
250	30	SS	190	1630	1
250	65	B.F.	120	778	1
250	75	B.F.	100	2480	
252	20	SS	212	1820	1
252	21	SS	210	440	1
252	24	SS	204	2750	1
252	30	SS	192	410	1
253	20	SS	213	460	1
253	22	SS	209	920	1
253	26	SS	201	1150	1
253	30	SS	193	230	1
253	30	SS	193	970	1
253	32	SS	189	1550	1
253	32	SS	189	1800	1
254	17,5	SS	219	3400	1
254	25	SS	204	870	1
254	25	SS	204	1420	1
254	26	SS	202	1330	1
254	30	SS	194	800	1
254	30	SS	194	1000	1
256	22	SS	212	460	1
257	22	SS	213	640	1
260	92,5	B.F.	75	3150	
263	21,5	SS	220	1900	1
263	21,5	SS	220	3580	1
263	21,5	SS	220	6000	1
263	24	SS	215	2800	1
265	27,5	SS	210	740	1
267	16	SS	235	485	1
267	19,5	SS	228	1480	1
267	20	SS	227	3980	1
268	22	SS	224	1090	1
270	36,5	SS	197	2000	1
270	70	B.F.	130	2000	
273	6	CARP.	261	9070	1
273	8	CARP.	257		
273	12,5	SS	248	300	1
273	12,5	SS	248	1000	1
273	13	SS	247	1700	1
273	14	SS	245	1500	1
273	14	SS	245	1750	1
273	14	SS	245	2780	1

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
273	14	SS	245	3200	1
273	14	SS	245	4425	1
273	16	SS	241	1850	1
273	16	SS	241	2810	1
273	16	SS	241	2870	1
273	22	SS	229	1330	1
273	22	SS	229	1850	1
273	22	SS	229	4350	1
273	25	SS	223	540	1
273	25	SS	223	1200	1
273	25	SS	223	1300	1
273	25	SS	223	1900	1
273	25	SS	223	2000	1
273	26	SS	221	640	1
273	26	SS	221	1000	1
273	26	SS	221	3940	1
273	27	SS	219	450	1
273	27	SS	219	660	1
273	27	SS	219	3650	1
273	27	SS	219	4110	1
273	27	SS	219	5335	1
273	28	SS	217	440	1
273	28	SS	217	1000	1
273	28	SS	217	2700	1
273	29	SS	215	4375	1
273	30	SS	213	290	1
273	30	SS	213	500	1
273	30	SS	213	820	1
273	30	SS	213	2100	1
273	30	SS	213	4000	1
273	31	SS	211	1600	1
273	32	SS	209	160	1
273	32	SS (F.C.-34)	209	430	1
273	33	SS	207	550	1
273	38	SS	197	530	1
273	45	SS	183	2000	1
273	50	SS	173	190	1
274	17	SS	240	610	1
274	27	SS	220	400	1
274	30	SS	214	410	1
274	30	SS	214	430	1
274	35	SS	204	360	1
275	15	SS	245	2515	1
275	19	SS (F.C.-23)	237	1650	1
275	27	SS (F.C.-30)	221	320	1
275	28	SS	219	310	1
275	28	SS	219	730	1
275	30	SS	215	1950	1
275	30	SS	215	2800	1
275	30	SS (F.C. - 35)	215	2900	1
275	30	SS	215	3000	1
275	30	SS	215	3900	1
275	30	SS	215	4050	1
275	36	SS	203	280	1
275	43	SS (F.C.-50)	189	180	1
278	30	SS	218	1960	1
282	21,5	SS	239	780	1
285	18	SS	249	1350	1
295	40	SS	215	1620	1
295	92,5	B.F.	110	3000	
296	17	SS (F.C.-20)	262	1630	1
297	20	SS	257	830	1
297	29	SS	239	980	1
297	29	SS	239	980	1
297	30	SS	237	640	1
298	15	SS	268	490	1
298	15,5	SS	267	700	1
298	16	SS	266	1500	1
298	18	SS	262	360	1
298	21	SS	256	830	1
298	24	SS	250	870	1
298	25	SS	248	280	1
298	26	SS	246	600	1
298	28	SS	242	780	1
298	30	SS	238	450	1
298	30	SS	238	570	1
298	37	SS	224	640	1
298	38	SS	222	440	1

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
298	40	SS	218	790	1
298	40	SS	218	900	1
298	40	SS	218	1300	1
300	13,8	SS	272	270	1
300	25	SS	250	590	1
300	27	SS	246	800	1
300	30	SS (F.C.-33)	240	1100	1
300	32	SS	236	540	1
300	35	SS	230	590	1
300	95	B.F.	110	2480	
317	30	SS	257	2500	1
320	37	SS (F.C.-40)	246	1100	1
320	38	SS (F.C.-42)	244	580	1
323	14	SS	295	990	1
323	26	SS (F.C.- 30)	271	630	1
323	27,5	SS	268	620	1
323	27,5	SS	268	620	1
323	28	SS	267	440	1
323	28	SS	267	630	1
323	28	SS	267	4385	1
323	30	SS	263	240	1
323	34	SS 34/37 FC	255	2600	1
323	34,5	SS	254	2830	1
323	40	SS	243	470	1
323	40	SS (F.C.- 45)	243	560	1
323	40	SS	243	560	1
323	46	SS	231	280	1
323	53	SS	217	180	1
323,9	5	CARP.	314	12000	1
323,9	6	CARP.	312		
323,9	8	CARP.	308		
324	25	SS (F.C.-29/35)	274	380	1
324	26	SS	272	400	1
325	18	SS (F.C.-20)	289	500	1
325	19,2	SS (F.C.-22,5)	287	640	1
325	25	SS	275	420	1
325	25	SS	275	3900	1
325	27	SS	271	520	1
325	28	SS	269	290	1
325	28	SS	269	290	1
325	28	SS	269	290	1
325	28	SS	269	390	1
325	30	SS	265	410	1
325	32	SS (F.C.-38)	261	850	1
325	35	SS	255	980	1
325	35	SS	255	4190	1
325	37	SS	251	610	1
325	40	SS	245	1800	1
325	41	SS	243	660	1
325	42	SS	241	260	1
325	47	SS (F.C.-54)	231	460	1
326	33	SS (F.C.-36)	260	1700	1
327	26	SS	275	290	1
327	35	SS	257	4185	1
327	42	SS	243	330	1
330	33	SS (F.C.-38)	264	1220	1
330	35	SS	260	210	1
330	35	SS	260	1220	1
330	35	SS	260	1220	1
330	35	SS	260	1220	1
330	35	SS	260	1220	1
330	35	SS	260	1220	1
330	40	SS	250	490	1
330	40	SS	250	510	1
330	40	SS	250	550	1
330	40	SS	250	550	1
330	40	SS	250	600	1
330	40	SS	250	600	1
330	40	SS	250	600	1
332	38	SS	256	265	1
332	40	SS	252	560	1
335	25	SS	285	1600	1
335	30	SS (F.C.-37)	275	420	1
340	14	SS	312	690	1
340	35	SS	270	900	1
340	35	SS	270	1090	1
340	35	SS	270	1120	1
340	35	SS	270	1190	1

DIAM. EST.	SPESS.	TIPO	DIAM. INT.	LUNGHEZZA	QUANTITA'
340	35	SS (F.C.-38)	270	1200	1
340	110	B.F.	120	370	1
345	15	SS	315	5080	1
345	15	SS	315	5300	1
345	31	SS	283	270	1
350	45	SS	260	800	1
350	47	SS	256	510	1
350	70	SS	210	940	1
351	40	SS	271	4630	1
353	67	SS	219	1500	1
353	68	SS	217	690	1
355	17,5	SS	320	280	1
355	32	SS	291	550	1
355	35	SS	285	700	1
355	50	SS	255	340	1
355	60	SS	235	300	1
355	69	SS	217	1970	1
355	70	SS	215	1380	1
355	70	SS	215	1420	1
355	70	SS	215	1560	1
355	80	SS	195	2070	1
357	35	SS	287	1340	1
357	42	SS (F.C.-48)	273	2870	1
357	47	SS	263	300	1
357	60	SS	237	980	1
357	82	SS	193	1400	1
360	26	SS	308	350	1
362	43	SS FC 43/50	276	2500	1
363	67	SS	229	1440	1
367	35	SS	297	300	1
368	22	SS	324	460	1
368	33	SS	302	520	1
370	21	SS	328	750	1
370	60	SS	250	90	1
373	22	SS	329	750	1
375	127,5	B.F.	120	2650	1
380	26	SS	328	3850	1
380	26	SS	328	4000	1
385	122	B.F.	141	1300	1
403	32	SS	339	230	1
404	18	SS (F.C.-20)	368	300	1
405	23	SS (F.C.-29)	359	800	1
405	30	SS	345	860	1
406	19	SS	368	1200	1
406	20	SS	366	1100	1
414	21	SS (F.C.-29)	372	570	1
425	22	SS	381	3950	1
427	20	SS (F.C.-23)	387	3650	1
427	20	SS (F.C.-23)	387	3650	1
427	22	SS	383	1450	1
431	22	SS	387	940	1
435	29	SS	377	2060	1
435	29	SS	377	2060	1
445	35	SS	375	500	1
458	31	SS	396	250	1
460	31	SS	398	360	1
503	50	SS	403	710	1
504	48	SS (F.C.-50)	408	380	1
508	26	SS	456	460	1